

	Platinum Pro VR	Gold Elite VR	Gold Elite Fold-up VR	Silver Select XP	Bronze Basic	Platinum ProClub
Drive Motor	3 hp Continuous Duty					3 hp Continuous Duty, industrial grade drive motor
Motor Manufacturer	McMillan Electric					
Motor Control	Dual Microprocessor Digital Control System					
Dimensions	Running Surface: 20" x 60" Overall: 73.5"L x 33"W x 57"H	Running Surface: 20" x 60" Overall: 74.5"L x 34"W x 59"H Folded up: 28"L x 34"W x 74"H	Running Surface: 20" x 54" Overall: 68"L x 30.5"W x 54"H			Running Surface: 20" x 60" Overall: 73.5"L x 33"W x 57"H
Treadmill Weight	205 lbs.	260 lbs.	190 lbs.	205 lbs.		
Frame	Welded aircraft grade extruded aluminum alloy with lifetime warranty					
Speed Range	0.5 to 12 mph			0.5 to 11 mph		0.5 to 12 mph
Elevation Range	-3% to 12% adjustable in 0.5% increments	0% to 15% adjustable in 0.5% increments				0% to 15% Grade adjustable in 0.5% increments
Belt	Stretch resistant 2 ply Texglide rated for 10,000 miles			Orthopedic Multi-ply polyester with static dispersing fibers, Texglide 6 lubricant.	Stretch resistant 2 ply Texglide rated for 10,000 miles	Multi-layered consisting of 2-ply no-stretch polyester, 2-ply PVC with static dispersent layer and no-maintenance Tex Glide™ Lubricant
Deck	Maintenance Free custom designed, medium density fiberboard with phenolic surface			Maintenance free custom designed medium density fiberboard	Maintenance Free custom designed, medium density fiberboard with phenolic surface	Maintenance Free custom designed medium density fiberboard with multi-layered phenolic surface
Rollers	2.5" precision ground steel with permanently lubricated sealed bearings			2.5" OD precision machined steel with permanently lubricated, sealed bearings	2.5" precision ground steel with permanently lubricated sealed bearings	
Shock Absorption System	Tri-Flex Impact Shock Management System			Tri-Flex™ low impact cushioning system	Tri-Flex Impact Shock Management System	Tri-Flex™ low impact cushioning system
User Weight Capacity	400 lbs.			350 lbs.		400 lbs.
Power Requirements	120 VAC 50-60hz					120 VAC 50-60hz (also available with 230-240 VAC 50-60hz)
Warranty						Light institutional: 2 years Parts, 1

	Lifetime Frame, 12 years Drive Motor, 5 years Parts, 1 year Labor					year Labor  Residential: 12 years Motor, 10 year Parts, 1 year Labor
Manufacturing Facility	MADE IN THE USA - West Caldwell, NJ					
Motivational Feedback	Time Speed Distance Incline Calories Aerobic Points Heart Rate Heart Rate Zone Average Speed Pace	Time Speed Distance Incline Calories Aerobic Points Heart Rate Heart Rate Zone Average Speed Pace	Time Speed Distance Incline Calories Aerobic Points Heart Rate Heart Rate Zone Average Speed Pace	Time Speed Distance Incline Calories Aerobic Points Heart Rate Heart Rate Zone	Time Speed Distance Incline Calories Aerobic Points	Time Speed Distance Incline Calories Aerobic Points Heart Rate
PROGRAM OPTIONS	9 levels of intensity for each of these programs:					
	<ul style="list-style-type: none"> <li>• Thigh Shaper</li> <li>• Glute Toner</li> <li>• Waist Reducer</li> <li>• Hill Intervals</li> <li>• Speed Intervals</li> <li>• Mixed Intervals</li> </ul>	<ul style="list-style-type: none"> <li>• Thigh Shaper</li> <li>• Glute Toner</li> <li>• Waist Reducer</li> <li>• Hill Intervals</li> <li>• Speed Intervals</li> <li>• Mixed Intervals</li> </ul>	<ul style="list-style-type: none"> <li>• Thigh Shaper</li> <li>• Glute Toner</li> <li>• Waist Reducer</li> <li>• Hill Intervals</li> <li>• Speed Intervals</li> <li>• Mixed Intervals</li> </ul>	<ul style="list-style-type: none"> <li>• Rolling Hills</li> <li>• Speed Intervals</li> <li>• Mixed Intervals</li> <li>• Summit Climb</li> <li>• 5K Event</li> <li>• Endurance</li> </ul>	<ul style="list-style-type: none"> <li>• Conditioning</li> <li>• Weight Loss</li> <li>• Stamina</li> <li>• Intervals</li> </ul>	Preset Workouts: <ul style="list-style-type: none"> <li>• Conditioning</li> <li>• Stamina</li> <li>• Interval</li> <li>• Weight Loss</li> </ul>
	- Quick Start - Manual - Calorie Coach	- Quick Start - Manual - Calorie Coach	- Quick Start - Manual - Calorie Coach	- Quick Start - Manual - Calorie Coach	- Quick Start - Manual	- Quick Start - Manual
Custom Programs	Three	Three	Three	Two	---	---
Heart Rate Programs	<ul style="list-style-type: none"> <li>• Heart Zone Monitor</li> <li>• Target HRC</li> <li>• Fat Burn Zone HRC</li> <li>• Cardio Zone</li> <li>• Interval HRC</li> </ul>	<ul style="list-style-type: none"> <li>• Heart Zone Monitor</li> <li>• Target HRC</li> <li>• Fat Burn Zone HRC</li> <li>• Cardio Zone</li> <li>• Interval HRC</li> </ul>	<ul style="list-style-type: none"> <li>• Heart Zone Monitor</li> <li>• Target HRC</li> <li>• Fat Burn Zone HRC</li> <li>• Cardio Zone</li> <li>• Interval HRC</li> </ul>	<ul style="list-style-type: none"> <li>• Heart Zone Monitor</li> <li>• Target HRC</li> <li>• Fat Burn HRC</li> <li>• Cardio HRC</li> </ul>	---	---
E-Courses	<ul style="list-style-type: none"> <li>• Lombard Street</li> <li>• Steeple Chase</li> <li>• Appalachian Trail</li> <li>• Summit Climb</li> <li>• Coastal Path</li> <li>• Tahoe Rim</li> </ul>	---	---	---	---	---
Fitness Evaluations	YES	YES	YES	NO	NO	
Displays	<ul style="list-style-type: none"> <li>• 12 X 15 Multi-Color Dot Matrix</li> <li>• 3- .56" tall LEDs</li> <li>• 2-.80" tall LEDs</li> </ul>	<ul style="list-style-type: none"> <li>• 12 X 15 Multi-Color Dot Matrix</li> <li>• 3- .56" tall LEDs</li> <li>• 2-.80" tall LEDs</li> </ul>	<ul style="list-style-type: none"> <li>• 12 X 15 Multi-Color Dot Matrix</li> <li>• 3- .56" tall LEDs</li> <li>• 2-.80" tall LEDs</li> </ul>	<ul style="list-style-type: none"> <li>• 10 X 12 Multi-Color Dot Matrix</li> <li>• 5- .56" tall LED's</li> </ul>	• 4 - .56" tall LED's	<ul style="list-style-type: none"> <li>• 12 X 15 Multi-Color Dot Matrix</li> <li>• 3- .56" tall LEDs</li> <li>• 2-.80" tall LEDs</li> </ul>
Heart Rate Interactive	YES	YES	YES	YES	NO	YES
Contact Heart Rate	YES	NO	NO	NO	NO	YES
Programmable						

Walk, Jog & Run Keys	NO	NO	NO	YES	NO	NO
Express Speed Keys	YES	YES	YES	NO	NO	YES
Express Incline Keys	YES	YES	YES	NO	NO	YES
Automatic Warm-up / Cool-Down	YES	YES	YES	YES	YES	YES (on preprogrammed routines)
User IDs	YES-4	YES-4	YES-4	NO	NO	NO